## FORWARD TECHNOLOGY F-100 SERIES Compact Solvent Cleaning Systems ...designed to safely employ all of todays nonflammable and EPA approved solvents

The fully contained compact F-100 Series degreasing system is an economical solution to solvent precision cleaning applications. A typical process includes immersion in the latest Crest ultrasonic technology that produces unrivaled cleaning with HFC, HFE, NPB, and HCFC solvents.

#### **Features**

- Solvent immersion tank with high frequency 58, 132, or 192 kHz ultrasonics
- Offset distillation
- Built-in refrigeration
- Compact overall dimension
- 100% freeboard ratio to limit solvent consumption
- Automated in-tank lift
- Solvent replacement warning
- Removable panels for easy maintenance access
- Gravity water separator
- PLC controlled

•Compact foot print for easy integration in production flow

Automated cover

- •Stainless steel condenser to avoid corrosion
- Stainless steel process tank with bright annealed finish
- •Filtered recirculation with submicron capable 222-type filter housing





# F-100 SERIES Compact Solvent Cleaning Systems

Model	Overall Dimension W X L X H	Tank Size W X L X H	Basket Size WXLXH	Distillation Rate	Boiling Heat	Load Capacity	Solvent Cap.	Electrical Requirements	Ultrasonics
1	Inches	Inches	Inches	Gal/Hr	W	Lbs/Hr	Gal		
F-100- 810	32 x 38 x 46	8 x 10 x 6	6.25 x 8.25 x 6	3	750	80	5	208V-240V 1-Phase 50-60 Hz 15 AMPS	58, 132, 192 kHz 250W
F-100- 1010	32 x 38 x 58	10 x 10 x 12	8.25 x 8.25 x 10	5	1200	130	9	208V-240V 1-Phase 50-60 Hz 15 AMPS	58, 132, 192 kHz 375W
F-100- 1812	46 x 66 x 68	18 x 12 x 12	16 x 10 x 10	18	4000	600	26	208V-240V 3-Phase 50-60 Hz 35 AMPS	40, 58, 132, 192 kHz 1000W
F-100- 2010	44 x 69 x 58	20 x 10 x 10	18 x 8 x8	18	4000	600	25	208V-240V 3-Phase 50-60 Hz 35 AMPS	Direct Bonded Dual Frequency 58/192 kHz 1000W


The Forward Technology F-100 Series is ideal to remove organic residues like organic films, fingerprints, grease, mold release, oils, etc. Applications can be found in most industrial facilities.

## Safety

- Refrigeration temperature monitoring
- Boiling tank over temperature signal with solvent replacement warning.
- Extended freeboard volume
- Boiling tank low level control
- Vapor level control with reset

## Options

- Molecular sieve water removal
- Baskets
- · Pre-filter housing
- Basket oscillation
- Patented Vertiflow™Filtration
  System



1886 Berkshire Lane North Minneapolis, MN 55441

Phone: 763.559.1785 Fax: 763.559.3929

Email: sales@crest-ultrasonics.com www.Crest-Ultrasonics.com

F-100 © 2009, Crest Ultrasonics. We reserve the right to make technical changes.

#### India Ofiice Crest Ultrasonics India Pvt Ltd • C-11, Functional Industrial Estate • Patparganj •Delhi 110092 • INDIA Phone (91) 11 22164532 • (91) 98100 33631• info@crestultrasonicsindia.com • www.crestultrasonicsindia.com